SLIDE® | NORTH AMERICA

GIOTTO WALL

Indoor

WALL & CEILING LAMPS



General Information

PROJECT DETAILS

FIXTURE TYPE

PROJECT NAME

NOTES

FINISH PREVIEW



Light White (LA) — the only colour

GENERAL INFORMATION

Roberto Paoli's Giotto Wall is a luminous polyethylene ring for a wall or a ceiling, with an integrated LED, in three diameters. A clean circle of light for hospitality and workplace interiors.

FIXTURE TYPE

Wall/Ceiling Lamp

DESIGNER

Roberto Paoli

LIGHT SOURCE

Integrated LED system, included. Extra warm white 2700 K. 35W and 1800 lumens at Ø80, 50W and 2500 lumens at Ø110, 65W and 3200 lumens at Ø140.

DRIVER

Remote LED driver, supplied

IP RATING

IP20

BASE MODEL AND APERTURE

Not applicable — the LED system is integrated and is not replaced by the customer

MATERIAL

Polyethylene

FINISH OPTION

Light White (LA) — the only colour

COUNTRY OF ORIGIN

Italy

WARRANTY

Products are warranted for 5 years — 2 years on the light source

SLIDE | North America
1-877-964-4646
www.designslide.com

sales@designslide.com

991 South Gull Lake Dr
Richland, MI
49083

Due to the dynamic nature of manufacturing processes, data on all specification sheets is subject to change at the discretion of SLIDE srl, Bullard Collection and associated companies.
©2026 All Rights Reserved

SLIDE® | NORTH AMERICA

CODE

NA-LP-GTW082

three diameters — see How to Order

Dimensions, Material, Finish Options

PROJECT DETAILS

FIXTURE TYPE

VERSION SPECIFIED

PROJECT NAME

NOTES

MANUFACTURER DRAWING



All three diameters, shown to one scale

HOW TO ORDER

EXAMPLE

NA-LP-GTW082

DIAMETER

- ☐ Ø 31.50" [Ø 80 cm], 35W — NA-LP-GTW082
- ☐ Ø 43.31" [Ø 110 cm], 50W — NA-LP-GTW112
- ☐ Ø 55.12" [Ø 140 cm], 65W — NA-LP-GTW142

LIGHT

- ☐ Extra warm white 2700 K — the SKUs above
- ☐ Warm white 3000 K — separate codes, on request
- ☐ Cool white 4000 K — separate codes, on request

MOUNTING

- ☐ Wall
- ☐ Ceiling

Specify the diameter, the light and the mounting: Ø80, Ø110 or Ø140, in extra warm white 2700 K as the SKUs above or in warm white 3000 K or cool white 4000 K as separate codes on request, for a wall or a ceiling. The LED system and its remote driver are supplied, so there is no socket and no bulb to buy, and the light source is not replaced by the customer.

1 DIMENSIONS

Ø 31.50 × 2.76" D [Ø 80 × 7 cm]
Ø 43.31 × 2.76" D [Ø 110 × 7 cm]
Ø 55.12 × 2.76" D [Ø 140 × 7 cm]

2 WEIGHT

11.02 lb [5 kg] · 17.64 lb [8 kg] · 26.46 lb [12 kg]

3 MATERIAL

Polyethylene

4 FINISH OPTIONS

Light White (LA) — the only colour — see page 4

SLIDE | North America
1-877-964-4646
www.designslide.com

sales@designslide.com

991 South Gull Lake Dr
Richland, MI
49083

Due to the dynamic nature of manufacturing processes, data on all specification sheets is subject to change at the discretion of SLIDE srl, Bullard Collection and associated companies.
©2026 All Rights Reserved

Updated 09/29/2026

5 FINISH OPTIONS

LIGHTING COLOUR · POLYETHYLENE

Light White (LA)

One colour is made: Light White, code LA, on every diameter and every light temperature. There is no POP, Second Life or lacquered range on this product.

SLIDE | North America
1-877-964-4646
www.designslide.com

sales@designslide.com

991 South Gull Lake Dr
Richland, MI
49083

Due to the dynamic nature of manufacturing processes, data on all specification sheets is subject to change at the discretion of SLIDE srl, Bullard Collection and associated companies.
©2026 All Rights Reserved